



ADORNARE

PRODUCT SUMMARY







25mm Head Track Double Glazed




25mm Head Track Single Glazed



25mm Abutment Double Glazed




Power Column Detail



3M™ Taped Dry Joint
10mm & 13.5mm Glass

Glass to Glass Joint



Vertical Section Door Frame & Elegante+ Door Leaf



Adornare

Structure	<p>Offset/Centre Single Glazed and Double-Glazed Partition:</p> <ul style="list-style-type: none"> . Partitions with 10, 10.76, 11.52, 12 and 13.52mm glazing . The glass is fitted without the use of silicone . Height of base channel = 25mm . Thickness of partition = 60mm . Height of head channel = 25mm . The glass junction is dry-jointed a 3M translucent profile
Door Options	<ul style="list-style-type: none"> . Novanta aluminium door jamb is compatible with Elegante, Elegante⁺, Legna and Porta Fantasma door leaf
Finishes	<p>Aluminium Profile:</p> <ul style="list-style-type: none"> . Anodised or polyester powder coated finish <p>Doors:</p> <ul style="list-style-type: none"> . Matt or powder coated <p>Glazing:</p> <ul style="list-style-type: none"> . Clear float toughened, low iron, acid etched, acoustic laminated glass
Maximum Screen Height	<ul style="list-style-type: none"> . 3000mm subject to configuration and access into the building. Using 12mm clear toughened glass . Greater heights up to 4080mm can be achieved with 13.52mm acoustic laminated glass
Matching Options	<p>Offset Single Glazed:</p> <ul style="list-style-type: none"> . 12mm toughened glass . 11.52 acoustic laminated glass . 13.52mm acoustic laminated glass <p>Centre Single Glazed:</p> <ul style="list-style-type: none"> . 12mm toughened glass . 11.52 acoustic laminated glass . 13.52mm acoustic laminated glass <p>Double Glazed:</p> <ul style="list-style-type: none"> . 10mm toughened glass + 12mm toughened glass . 10.76mm acoustic laminated glass + 11.52mm acoustic laminated glass . 11.52mm acoustic laminated glass + 13.52mm acoustic laminated glass <p>Doors:</p> <ul style="list-style-type: none"> . Elegante EOSGDN60E . Elegante⁺ EOSGDN60C . Elegante ECSGDN60E . Elegante EDGDN60E . Elegante⁺ EDGDN60C . Legna LAWFDN60C . Porta Fantasma PFSGD60E
Acoustic Rating	<p>Offset/Centre Single Glazed:</p> <ul style="list-style-type: none"> . Rw32dB - 12mm toughened glass <p>Double Glazed:</p> <ul style="list-style-type: none"> . Rw39dB - 10mm toughened glass + 12mm toughened glass <p>Doors:</p> <ul style="list-style-type: none"> . Rw29dB – Elegante⁺ EOSGDN60C (single glazed door/12mm thick) . Rw31dB – Elegante⁺ EDGDN60C (double glazed door/8mm+8mm thick)