


MINIATURA+


PRODUCT SUMMARY




Product Overview




25mm Head Track Single Glazed




25mm Floor Track Single Glazed



25mm Abutment Single Glazed




Power Column Detail




3M™ Taped Dry Joint
10mm & 13.5mm Glass

Glass to Glass Joint



Vertical Section Door Frame & Elegante Door Leaf



Miniatura + Linea

Structure	<p>Single Glazed Partition + Linea:</p> <ul style="list-style-type: none"> . Partitions with 12, 11.52mm and 13.52mm glazing . The glass is fitted without the use of silicone . Height of base channel = 25mm . Thickness of partition = 28mm . Height of head channel = 25mm . Thickness of Linea = 20mm . The glass junction is dry-jointed by a 3M translucent profile
Door Options	<ul style="list-style-type: none"> . Novanta aluminium door jamb is compatible with Elegante + Linea , Legna and Porta Fantasma door leaf
Finishes	<p>Aluminium Profile:</p> <ul style="list-style-type: none"> . Anodised or polyester powder coated finish <p>Doors:</p> <ul style="list-style-type: none"> . Matt or powder coated <p>Glazing:</p> <ul style="list-style-type: none"> . Clear float toughened, low iron, acid etched, acoustic laminated glass
Maximum Screen Height	<ul style="list-style-type: none"> . 3000mm subject to configuration and access into the building. Using 12mm clear toughened glass . Greater heights up to 4080mm can be achieved with 13.52mm acoustic laminated glass
Matching Options	<p>Single Glazed:</p> <ul style="list-style-type: none"> . 12mm toughened glass . 11.52 acoustic laminated glass . 13.52mm acoustic laminated glass <p>Doors:</p> <ul style="list-style-type: none"> . Elegante ECSGDN60E+LS . Legna LAWFDN60C . Porta Fantasma PFSGD60E
Acoustic Rating	<p>Single Glazed:</p> <ul style="list-style-type: none"> . Rw32dB - 12mm toughened glass <p>Doors:</p> <ul style="list-style-type: none"> . Rw29dB - Elegante ECSGDN60E+LS (single glazed door/12mm thick)