



# OMBRA+


PRODUCT SUMMARY




20+25mm Head Track Double Glazed




20+25mm Floor Track Single Glazed



20+25mm Abutment Double Glazed




Power Column Detail



3mm  
3M™ Taped Dry Joint  
10mm & 13.5mm Glass

Glass to Glass Joint



Vertical Section Door Frame & Rafinato Door Leaf



<b>Structure</b>	<p>Offset Single Glazed and Double-Glazed Partition:</p> <ul style="list-style-type: none"> <li>. Partitions with 10, 10.76, 11.52, 12 and 13.52mm glazing</li> <li>. The glass is fitted without the use of silicone</li> <li>. Inner channel = +-25mm</li> <li>. Height of base channel = 25mm</li> <li>. Thickness of partition = 108mm</li> <li>. Height of head channel = 25mm</li> <li>. The glass junction is dry-jointed a 3M translucent profile</li> </ul>
<b>Door Options</b>	<ul style="list-style-type: none"> <li>. Cento Otto aluminium door jamb is compatible with Rafinato, Legna and Porta Fantasma door leaf</li> </ul>
<b>Finishes</b>	<p>Aluminium Profile:</p> <ul style="list-style-type: none"> <li>. Anodised or polyester powder coated finish</li> </ul> <p>Doors:</p> <ul style="list-style-type: none"> <li>. Matt or powder coated</li> </ul> <p>Glazing:</p> <ul style="list-style-type: none"> <li>. Clear float toughened, low iron, acid etched, acoustic laminated glass</li> </ul>
<b>Maximum Screen Height</b>	<ul style="list-style-type: none"> <li>. 3000mm subject to configuration and access into the building. Using 12mm clear toughened glass</li> <li>. Greater heights up to 4080mm can be achieved with 13.52mm acoustic laminated glass</li> </ul>
<b>Matching Options</b>	<p>Offset Single Glazed:</p> <ul style="list-style-type: none"> <li>. 12mm toughened glass</li> <li>. 11.52 acoustic laminated glass</li> <li>. 13.52mm acoustic laminated glass</li> </ul> <p>Double Glazed:</p> <ul style="list-style-type: none"> <li>. 10mm toughened glass + 12mm toughened glass</li> <li>. 10.76mm acoustic laminated glass + 11.52mm acoustic laminated glass</li> <li>. 11.52mm acoustic laminated glass + 13.52mm acoustic laminated glass</li> </ul> <p>Doors:</p> <ul style="list-style-type: none"> <li>. Rafinato ROSGDCO108C</li> <li>. Rafinato RDGDCO108C</li> <li>. Legna LAWFD90C</li> <li>. Porta Fantasma PFSGD60E</li> </ul>
<b>Acoustic Rating</b>	<p>Offset Single Glazed:</p> <ul style="list-style-type: none"> <li>. Rw32dB - 12mm toughened glass</li> </ul> <p>Double Glazed:</p> <ul style="list-style-type: none"> <li>. Rw45dB - 10mm toughened glass + 12mm toughened glass</li> </ul> <p>Doors:</p> <ul style="list-style-type: none"> <li>. Rw29dB - Rafinato ROSGDCO108C (single glazed door/12mm thick)</li> <li>. Rw38dB - Rafinato RDGDCO108C (double glazed door/10mm+12mm thick)</li> </ul>